






NOTE:-

- 1) — — — — — TOP REINFORCEMENT
- 2) ————— BOTTOM REINFORCEMENT
- 3) S = 150MM THK. R.C.C.SLAB
- 4) CLEAR COVER TO MAIN REINF. SHALL BE:-
 - a) SLAB = 20MM
 - b) BEAM = 30MM
- 5) LAP LENGTH TO BE 50XDIA OF SMALLER BAR
- 6) ALL R.C.C WORK WILL BE IN MIX M30
- 7) GRADE OF STEEL SHALL BE FE 550 D
- 8) DISTRIBUTION $\varnothing$ @ 200C/C UNO
- 9) THIS DRG. TO READ IN CONJUNCTION WITH
 RELEVANT ARCHITECTURAL DRG.
 IF IN DOUBT PLEASE ASK.

LEGENDS :					
REVISION NOTES :					
No.	REVISION	DESCRIPTION			
PROJECT:					
SOUTH AFRICA HIGH COMMISSION					
PROJECT OWNER/ DEVELOPER:					
INTERNATIONAL RELATIONS & COOPERATION, REPUBLIC OF SOUTH AFRICA					
ARCHITECT:					
Spaces Architecture Studio V-12/23 DLF-3, Gurugram. Ph.: 0124-4734320 e-mail: contact@studiosas.in https://www.studiosas.in					
STRUCTURAL CONSULTANT:					
JAITLEY ASSOCIATES E-60, 2ND FLOOR MASJID MOTH GREATER KAILASH-IIII NEW DELHI-110048 PHONE NO-011-40569877 E-mail: njaitly49@gmail.com					
SCALE:-		N.T.S			
DRAWN BY:-		INDRAMOHAN			
DESIGN BY:-		ASIF			
APPROVED BY:-		N.JAITLEY			
DATE:-		14-08-2025			
PURPOSE OF DWG:					
☒		Issued for Tender			
☐		Issued for Construction			
☐		Issued for Review			
☐		Issued for Information			
DRAWING TITLE:					
Mumty Lvl. Beam reinf. Details					
DISCIPLINE : Structure					
DRAWING NO:				REV:	
JA-SR-SAA-(CH)ST-2I					